		L	#	Hits	Search Text	DBs	Time Stamp
1		L1		305	725/80 725/81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/02/02 21:16
2		L2			"19991217") or (@rlad <=	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:21
3	,	L3		5	2 AND ((node) NEAR2 (ID identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:25
4	-	L4		16897	709/201-219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:24
5		L5		エムフルム	709/220-253.ccls.) AND	1E PO • . 1 PO •	2005/02/02 21:44
6		L6		U	keep record replace NEAR5 (reset\$4 \$3connect	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:27
7		L7		7/1	5 AND ((reset\$4 \$3connect remov\$al) NEAR5 ((node) NEAR2 (ID identification)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:45

	L #	Hits	Search Text	DBs	Time Stamp
8	L8	442	(725/133 725/141 725/153 345/552) AND ((@ad <= "19991217") or (@rlad <= "19991217"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:48
9	L9	0	IS ACONNECT REMOVISALI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:45
10	L10		8 AND ((reset\$4 \$3connect remov\$al) WITH ((node) NEAR2 (ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/02/02 21:46
11	L11	0	\$ AND ((reset\$4 \$3connect remov\$al) WITH ((unique node) NEAR2 (ID	IH: P() • . P() •	2005/02/02 21:46
12	L12	24	(network configuration))	DERWENT;	2005/02/02 21:48
13	L13	14	12 AND ((@ad <= "19991217") or (@rlad <=	IP. D() • . I D() •	2005/02/02 21:48